

TETRA RADIOS

MXP660

MXP660 multi-bearer portable TETRA radio



The MXP660 multi-bearer portable TETRA radio has built-in LTE and Wi-Fi, enabling auto switching for continuous TETRA usage via DIMETRA Connect. Al-trained noise suppression for clear communication. Plus, over-the-air programming via LTE, WiFi and TETRA.

Rugged and lightweight, the MXP660 is easy to carry and use with its T-bar style grip. It contains Al-trained noise suppression, so your users can be heard even in extreme noises. It can use built-in LTE and Wi-Fi and your DIMETRA Connect gateway to keep your users connected with their TETRA features outside of TETRA coverage. The MXP660 also helps reduce your total cost of ownership, with over-the-air programming via LTE, Wi-Fi or TETRA and the ability to reuse most of your MXP600 accessories.

Model No	Technical Description
----------	-----------------------

MDH76TCN6TZ5AN	MXP660 350-	-470 MHZ LT	E PTN952HEL
	ROHS: N/A	CE: Yes	Country of Origin: N/A

PRODUCT DETAILS

A1 TEA2 TEA3,End-to-End Encryption: AES128 AES256
ASS,Bluetooth,WiFi,Mandown,NFC
55
BW) Class 4 (1W)
_



TETRA RADIOS

MXP660

MXP660 multi-bearer portable TETRA radio

Model No Technical Description

MDH76TCN6TZ5AN	MXP660 multi-bearer portable TETRA radio
----------------	--

MANDATORY OPTIONS:

	Option SKU	Description
CLS MXP660 SOFTWARE RELEASE (EMEA)	GA01961AA	ADD: MR2025.1 SOFTWARE
CLS MXP660 QUICK START GUIDE (EMEA)	QA07976AA	DEL: QUICK START GUIDE
	QA10045AA	ADD: MXP660 QUICK START GUIDE ENGLISH (EN-EN)
	QA10046AA	ADD: MXP660 QUICK START GUIDE DANISH (DA-DK)
	QA10047AA	ADD: MXP660 QUICK START GUIDE DUTCH (NI-NL)
	QA10048AA	ADD: MXP660 QUICK START GUIDE ITALIAN (IT-IT)
	QA10049AA	ADD: MXP660 QUICK START GUIDE NORWEGIAN (NB-NO)
	QA10050AA	ADD: MXP660 QUICK START GUIDE POLISH (PL-PL)
	QA10051AA	ADD: MXP660 QUICK START GUIDE SPANISH SPAIN (ES-ES)
	QA10052AA	ADD: MXP660 QUICK START GUIDE SWEDISH (SV-SE)
	QA10053AA	ADD: MXP660 QUICK START GUIDE GERMAN (DE-DE)
	QA10054AA	ADD: MXP660 QUICK START GUIDE FRENCH (FR-FR)
	QA10055AA	ADD: MXP660 QUICK START GUIDE ARABIC (AR-EG)
	QA10056AA	ADD: MXP660 QUICK START GUIDE RUSSIAN (RU-RU)
	QA10057AA	ADD: MXP660 QUICK START GUIDE FINNISH (FI-FI)
	QA10058AA	ADD: MXP660 QUICK START GUIDE TURKISH (TR-TR)
	QA10059AA	ADD: MXP660 QUICK START GUIDE ROMANIAN (RO-RO)
	QA10060AA	ADD: MXP660 QUICK START GUIDE PORTUGUESE (PORTUGAL)

	Option SKU	Description
CLS MXP660 350-470MHZ RADIO	QA09930AA	ADD: MXP660 350-470 CLR ROMAN
UNIT (EMEA)	QA09931AA	ADD: MXP660 350-470 CLR ARABIC
	QA09932AA	ADD: MXP660 350-470 TEA1 ROMAN
	QA09933AA	ADD: MXP660 350-470 TEA1 ARABIC
	QA09934AA	ADD: MXP660 350-470 TEA2 ROMAN
	QA09935AA	ADD: MXP660 350-470 TEA3 ROMAN
	QA09936AA	ADD: MXP660 350-470 TEA3 ARABIC
	QA09937AA	ADD: MXP660 350-470 CLR AES128 ROMAN
	QA09938AA	ADD: MXP660 350-470 CLR AES128 ARABIC
	QA09939AA	ADD: MXP660 350-470 TEA1 AES128 ROMAN
	QA09940AA	ADD: MXP660 350-470 TEA1 AES128 ARABIC
	QA09941AA	ADD: MXP660 350-470 TEA2 AES128 ROMAN
	QA09942AA	ADD: MXP660 350-470 TEA3 AES128 ROMAN
	QA09943AA	ADD: MXP660 350-470 TEA3 AES128 ARABIC
	QA09944AA	ADD: MXP660 350-470 CLR AES256 ROMAN
	QA09945AA	ADD: MXP660 350-470 CLR AES256 ARABIC
	QA09946AA	ADD: MXP660 350-470 TEA1 AES256 ROMAN
	QA09947AA	ADD: MXP660 350-470 TEA1 AES256 ARABIC
	QA09948AA	ADD: MXP660 350-470 TEA2 AES256 ROMAN
	QA09949AA	ADD: MXP660 350-470 TEA3 AES256 ROMAN
	QA09950AA	ADD: MXP660 350-470 TEA3 AES256 ARABIC
CLS MXP660 ANTENNA (EMEA)	QA09975AA	ADD: ANTENNA, STUBBY, UHF1 (380-430 MHZ) 60MM
,	QA09976AA	ADD: ANTENNA, STUBBY,UHF (380-470 MHZ) 90MM
	QA09977AA	ADD: ANTENNA, WHIP UHF (380-480MHZ) 160MM
	QA09978AA	ADD: ANTENNA, WHIP, UHF (380-470 MHZ) 120MM
CLS MXP660 BELT CLIP (EMEA)	QA09980AA	ADD: BELT CLIP 2IN
` ,	QA09981AA	ADD: 2.5-INCH BELT CLIP

	Option SKU	Description
	QA09982AA	ADD: PETER JONES STUD VERSION 2
	QA09983AA	DEL: BELT CLIP
CLS MXP660 BATTERY (EMEA)	QA09989AA	ADD: BATT LIION IMPRES 2 IP68 1900T
	QA09990AA	ADD: BATT LIION IMPRES 2 IP68 3400T
	QA09991AA	ADD: BATT LIION IMPRES 2 IP68 2900T
CLS MXP660 DUST COVER (EMEA)	QA10007AA	ADD: DUST COVER, GCAI MINI
	QA10086AA	DEL: DUST COVER
CLS MXP660 CHARGER (EMEA)	QA10021AA	ADD: SWITCH MODE, 5W, 100 V - 240 V, SINECO, US/JP
	QA10022AA	ADD: SWITCH MODE, 5W, 100 V - 240 V, SINECO, EU
	QA10023AA	ADD: SWITCH MODE, 5W, 100 V - 240 V, SINECO, UK/HK
	QA10024AA	ADD: ADD: DUAL UNIT CHGR EXT NA/LA
	QA10025AA	ADD:DUAL UNIT CHGR EXT EU
	QA10026AA	ADD:DUAL UNIT CHGR EXT UK
	QA10027AA	ADD:SIMULTANEOUS DUC EXT US/NA/JP/TAIWAN
	QA10028AA	ADD:SIMULTANEOUS DUC EXT EU
	QA10029AA	ADD:SIMULTANEOUS DUC EXT UK
	QA10030AA	DEL: CHARGER
CLS MXP660 SERVICES OPTIONS (EMEA)	QA10066AA	STD: 3YR ESSENTIAL SOFTWARE
	QA10067AA	ADD: 3YR ESSENTIAL
	QA10068AA	ADD: 3YR ESSENTIAL W/ACC DAMAGE
	QA10069AA	ADD: 5YR ESSENTIAL SOFTWARE
	QA10070AA	ADD: 5YR ESSENTIAL
	QA10071AA	ADD: 5YR ESSENTIAL W/ACC DAMAGE

NON-MANDATORY OPTIONS:

	Option SKU	Description
CLS MXP660 SOFTWARE FEATURES	QA02023AA	ENABLE WAP FEATURE
(EMEA)	QA02025AA	ENABLE MULTISLOT PACKET DATA

QA02026AA ENABLE ENHANCED SECURITY FEATURE QA02027AA ENABLE PERMANENT DISABLE FEATURE QA02028AA ENABLE CALL OUT FEATURE QA02029AA ENABLE RUA/RUI FEATURE QA02030AA ENABLE SCCH FEATURE QA02031AA ENABLE PERMANENT DISABLE V2 KILL/UNKILL QA02035AA ENABLE MANDOWN FEATURE QA02036AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE SUBSECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE BOS OVER EZEE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02767AA ENABLE REPEATER FEATURE QA02767AA ENABLE GNORE LOCAL SITE TRUNKING QA0276BAA ENABLE HOME CELL STICKINESS QA04791AA ENABLE DMO SCK QA04793AA ENABLE OK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04793AA ENABLE DETWORK MONITOR QA05579AA ENABLE BIS EMERGENCY ALERT QA06568AA ENABLE BIS MART READY QA06668AA ENABLE MIGRATION QA06669AA	Option SKU	Description
QA02028AA ENABLE CALL OUT FEATURE QA02029AA ENABLE RUA/RUI FEATURE QA02030AA ENABLE SCCH FEATURE QA02031AA ENABLE PERMANENT DISABLE V2 KILL/UNKILL QA02035AA ENABLE MANDOWN FEATURE QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE SDS REMOTE CONTROL QA02039AA ENABLE WAP PUSH QA02040AA ENABLE BSDS OVER EZEE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04791AA ENABLE SHADOW GROUPS LICENSE QA04792AA ENABLE BCK & GCK OTAR QA04793AA ENABLE GCK & GCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE METWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06668AA ENABLE MIGRATION	QA02026AA	ENABLE ENHANCED SECURITY FEATURE
QA02030AA ENABLE RUA/RUI FEATURE QA02031AA ENABLE SCCH FEATURE QA02031AA ENABLE PERMANENT DISABLE V2 KILL/UNKILL QA02035AA ENABLE MANDOWN FEATURE QA02035AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02039AA ENABLE WAP PUSH QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER EZEE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE IGNORE LOCAL SITE TRUNKING QA02767AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE GCK & GCK OTAR QA04793AA ENABLE GCK & GCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE BT CONNECTIVITY QA05579AA ENABLE EMERGENCY ALERT QA05579AA ENABLE EMERGENCY ALERT QA06669AA ENABLE BT SMART READY QA06669AA ENABLE MIGRATION	QA02027AA	ENABLE PERMANENT DISABLE FEATURE
QA02030AA ENABLE SCCH FEATURE QA02031AA ENABLE PERMANENT DISABLE V2 KILL/UNKILL QA02035AA ENABLE MANDOWN FEATURE QA02036AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE WAP PUSH QA02039AA ENABLE WAP PUSH QA02040AA ENABLE IMMEDIATE TEXT MESSAGE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE SCK OTAR QA04793AA ENABLE SCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE BT CONNECTIVITY QA05578AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02028AA	ENABLE CALL OUT FEATURE
QA02031AA ENABLE PERMANENT DISABLE V2 KILL/UNKILL QA02035AA ENABLE MANDOWN FEATURE QA02036AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE CELL SELECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER E2EE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE GCK & GCK OTAR QA04792AA ENABLE SCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE EMERGENCY ALERT QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE EMBGRATION QA06669AA ENABLE MIGRATION	QA02029AA	ENABLE RUA/RUI FEATURE
QA02035AA ENABLE MANDOWN FEATURE QA02036AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE CELL SELECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER E2EE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE IGNORE LOCAL SITE TRUNKING QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE BT CONNECTIVITY QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06669AA ENABLE MIGRATION	QA02030AA	ENABLE SCCH FEATURE
QA02036AA ENABLE RMS/FMS QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE CELL SELECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER E2EE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE GCK & GCK OTAR QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE BT SMART READY QA06668AA ENABLE BI DIDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02031AA	ENABLE PERMANENT DISABLE V2 KILL/UNKILL
QA02037AA ENABLE SDS REMOTE CONTROL QA02038AA ENABLE CELL SELECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER E2EE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE METWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02035AA	ENABLE MANDOWN FEATURE
QA02038AA ENABLE CELL SELECT BY TALKGRP QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER E2EE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02036AA	ENABLE RMS/FMS
QA02039AA ENABLE WAP PUSH QA02040AA ENABLE SDS OVER EZEE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06669AA ENABLE INDIVIDUAL CALL MANIPULATION	QA02037AA	ENABLE SDS REMOTE CONTROL
QA02040AA ENABLE SDS OVER EZEE QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE METWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02038AA	ENABLE CELL SELECT BY TALKGRP
QA02041AA ENABLE IMMEDIATE TEXT MESSAGE QA02065AA ENABLE REPEATER FEATURE QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02039AA	ENABLE WAP PUSH
QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE GCK & GCK OTAR QA04792AA ENABLE SCK OTAR QA04793AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02040AA	ENABLE SDS OVER E2EE
QA02767AA ENABLE IGNORE LOCAL SITE TRUNKING QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02041AA	ENABLE IMMEDIATE TEXT MESSAGE
QA02768AA ENABLE HOME CELL STICKINESS QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02065AA	ENABLE REPEATER FEATURE
QA04346AA ENABLE SHADOW GROUPS LICENSE QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02767AA	ENABLE IGNORE LOCAL SITE TRUNKING
QA04791AA ENABLE DMO SCK QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA02768AA	ENABLE HOME CELL STICKINESS
QA04792AA ENABLE GCK & GCK OTAR QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA04346AA	ENABLE SHADOW GROUPS LICENSE
QA04793AA ENABLE SCK OTAR QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA04791AA	ENABLE DMO SCK
QA04794AA ENABLE BT CONNECTIVITY QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA04792AA	ENABLE GCK & GCK OTAR
QA05578AA ENABLE NETWORK MONITOR QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA04793AA	ENABLE SCK OTAR
QA05579AA ENABLE EMERGENCY ALERT QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA04794AA	ENABLE BT CONNECTIVITY
QA05580AA ENABLE BT SMART READY QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA05578AA	ENABLE NETWORK MONITOR
QA06668AA ENABLE INDIVIDUAL CALL MANIPULATION QA06669AA ENABLE MIGRATION	QA05579AA	ENABLE EMERGENCY ALERT
QA06669AA ENABLE MIGRATION	QA05580AA	ENABLE BT SMART READY
	QA06668AA	ENABLE INDIVIDUAL CALL MANIPULATION
QA06677AA ENABLE CLASS 3 TOGGLE RF POWER	QA06669AA	ENABLE MIGRATION
	QA06677AA	ENABLE CLASS 3 TOGGLE RF POWER

	Option SKU	Description
	QA06678AA	ENABLE MIGRATION DYNAMIC
	QA06679AA	ENABLE MIGRATION ENCRYPTION
	QA06761AA	ENABLE GATEWAY AND REPEATER ENHANCEMENT
	QA07535AA	ENABLE BT INDOOR LOCATION
	QA07592AA	ENABLE EMERGENCY DESTINATION IN LST
	QA08055AA	ENABLE GNSS
	QA08314AA	ENABLE OVER THE AIR PROGRAMMING - LMR
	QA08422AA	ENABLE MSDS
	QA09096AA	ENABLE AUTOMATIC DMO
	QA10011AA	ENABLE AI-TRAINED NOISE AND ACOUSTIC FEEDBACK SUPPRESSION
	QA10012AA	ENABLE BROADBAND PROGRAMMING AND UPDATE
CLS MXP660 EXTRA BATTERY (EMEA)	QA08286AA	ADD: EXTRA BATT LIION IMPRES 2 IP68 1900T
· , , , ,	QA08287AA	ADD: EXTRA BATT LIION IMPRES 2 IP68 3400T
	QA08418AA	ADD: EXTRA BATT LIION IMPRES 2 IP68 2900T
CLS RADIO LANGUAGE - ADDITIONAL TO	QA09752AA	ADD: RADIO LANGUAGE: SPANISH (ES)
ENGLISH (EMEA)	QA09753AA	ADD: RADIO LANGUAGE: DUTCH
	QA09754AA	ADD: RADIO LANGUAGE: FRENCH
	QA09755AA	ADD: RADIO LANGUAGE: GERMAN
	QA09756AA	ADD: RADIO LANGUAGE: ARABIC
	QA09757AA	ADD: RADIO LANGUAGE: GREEK
	QA09758AA	ADD: RADIO LANGUAGE: SWEDISH
	QA09759AA	ADD: RADIO LANGUAGE: ITALIAN
	QA09760AA	ADD: RADIO LANGUAGE: RUSSIAN
	QA09761AA	ADD: RADIO LANGUAGE: HUNGARIAN
	QA09762AA	ADD: RADIO LANGUAGE: LITHUANIAN
	QA09763AA	ADD: RADIO LANGUAGE: NORWEGIAN
	QA09764AA	ADD: RADIO LANGUAGE: CROATIAN
		6

	Option SKU	Description
	QA09765AA	ADD: RADIO LANGUAGE: DANISH
	QA09766AA	ADD: RADIO LANGUAGE: MACEDONIAN
	QA09767AA	ADD: RADIO LANGUAGE: POLISH
	QA09768AA	ADD: RADIO LANGUAGE: FINNISH
	QA09769AA	ADD: RADIO LANGUAGE: ICELANDIC
CLS MXP660 RFID KNOB (EMEA)	QA10005AA	ADD: KNOB, RFID, EU
	QA10006AA	ADD: KNOB, RFID, US



TETRA RADIOS

MXP660 ACCESSORIES

CHARGERS



Transformer 15W Power Supply for SL 7500 Radio

Compatible with XPR series 5000, 5000e and 4000, this MOTOTRBO replacement part is a power supply for dual unit charger.

Model No: 25012022001

Description: PWR SUPPLY US/NA/JAPAN/TAIWAN **ROHS:** Yes **CE:** No **Country of Origin:** CN



PWR SUPPLY EU

Model No: 25012022002 Description: PWR SUPPLY EU

ROHS: Yes CE: Yes Country of Origin: CN



PWR SUPPLY UK

Model No: 25012022003

Description: PWR SUPPLY UK

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US/JP
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK
Power Source	N/A
Technology	Power supply
Туре	Charger component



Power Cord, US

Replacement Power Cord with US plug for use with the Multi-Unit Chargers

Model No: 3087791G01

Description: CABLE, POWER CORD, US

CE: No **Country of Origin: CN** ROHS: Yes



Power Cord, EU

Replacement Power Cord with EU plug for use with the

Multi-Unit Chargers Model No: 3087791G04

Description: CABLE, POWER CORD, EURO, 250 VAC 3A

ROHS: Yes CE: Yes Country of Origin: CN



Power Cord, UK/HK

Replacement Power Cord with UK/HK plug for use with the Multi-Unit Chargers

Model No: 3087791G07

Description: POWER CORD, UK

ROHS: Yes CE: Yes **Country of Origin: CN**



TETRA MODULAR CHARGER, MTP850 BATTERY INSERT PACK OF 6

Model No: AS000403A01

Description: TETRA MODULAR CHARGER, MTP850

BATTERY INSERT PACK OF 6

ROHS: Yes CE: N/A **Country of Origin: MY**

Weight (GM- Gram)	195
Dimensions (MM- Millimeter)	- (W) - (H) 2300 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	N/A
Technology	Line cord
Туре	Charger component
Weight (GM- Gram)	240
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Line cord
Туре	Charger component
Weight (GM- Gram)	275
Dimensions (MM- Millimeter)	0.88 (W) 1.88 (H) 2300 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK
Power Source	N/A
Technology	Line cord
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
	•



weight (-)	•
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Muc pocket

Charger component

Type



Wall Mount Bracket


This bracket is used to mount your multi-unit charger on

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY

MAINTENANCE MUC

ROHS: Yes CE: N/A Country of Origin: MY





BRACKET, CHGR MODULAR, WALL MOUNT

Model No: BR000482A01

Description: BRACKET, CHGR MODULAR, WALL MOUNT

ROHS: Yes CE: N/A Country of Origin: US

Weight (KG- Kilogram)	2.2
Dimensions (IN-Inch)	16 (W) 6.8 (H) 8.5 (L)
Number of Displays	0
Number of Pockets	0
Plug Type	N/A
Power Source	N/A
Technology	Other
Туре	Charger component

Weight (-)



Vehicular power adapter 12-24V plug

Charge your radio on the go through the cigarette lighter in your vehicle, 12-24V plug.

Model No: NNTN8040A

Description: Vehicular Power Adapter

Country of Origin: CN ROHS: Yes CE: Yes

Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Other
Туре	Vehicular charger kit



CHR DUC EXT BASE ONLY

Model No: NNTN8234A

Description: CHR DUC EXT BASE ONLY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	2
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Charger base



Desktop dual-unit charger with US plug

Conveniently charge both your MTP3000 or MTP6000 series radio and a spare battery sequentially. The radio is charged first, then the battery.

NNTN8244 – US plug. NNTN8245 – EU plug. NNTN8246 – UK plug. **Model No:** NNTN8244A

Description: CHR, DUAL UNIT,EXT NA/LA

ROHS: Yes CE: Yes Country of Origin: MY



Desktop dual-unit charger with Euro plug

For charging radio and spare battery sequentially.

Model No: NNTN8245A

Description: CHR, DUAL UNIT, EXT EU

ROHS: Yes CE: Yes Country of Origin: MY



Desktop dual-unit charger with UK plug

Conveniently charge both your MTP3000 or MTP6000 series radio and a spare battery sequentially. The radio is charged first, then the battery.

NNTN8244 – US plug. NNTN8245 – EU plug. NNTN8246 – UK plug. **Model No:** NNTN8246A

Description: CHR, DUAL UNIT, EXT UK

ROHS: Yes CE: Yes Country of Origin: MY



Desktop dual-unit charger with US plug

For charging radio and spare battery simultaneously.

Model No: PMLN6493A

Description: SIMULTANEOUS DUC EXT US/NA/JP/

TAIWAN

Weight (-)	-
Dimensions (- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	2
Plug Type	US/JP
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	2
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) 0
Dimensions (-) Number of	
Dimensions (-) Number of Displays Number of	0
Dimensions (-) Number of Displays Number of Pockets	0 2
Dimensions (-) Number of Displays Number of Pockets Plug Type	0 2 UK
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	0 2 UK N/A
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	0 2 UK N/A Motorola original
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-)	0 2 UK N/A Motorola original Multi unit charger
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	0 2 UK N/A Motorola original
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (0 2 UK N/A Motorola original Multi unit charger
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of	0 2 UK N/A Motorola original Multi unit charger (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of	0 2 UK N/A Motorola original Multi unit charger (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	0 2 UK N/A Motorola original Multi unit charger (W) - (H) - (L) 0
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	UK N/A Motorola original Multi unit charger (W) - (H) - (L) 0 2 US/JP
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	UK N/A Motorola original Multi unit charger (W) - (H) - (L) 0 2 US/JP N/A




Desktop dual-unit charger with Euro plug

For charging radio and spare battery simultaneously.

Model No: PMLN6494A

Description: SIMULTANEOUS DUC EXT EU

ROHS: Yes CE: Yes Country of Origin: MY



- (W) - (H) - (L)

Weight (-)

Dimensions (



Desktop dual-unit charger with UK plug

Desktop dual-unit charger for charging radio and spare battery simultaneously.

PMLN6493 - US plug.

PMLN6494 - EU plug.

PMLN6495 – UK plug. **Model No:** PMLN6495A

Description: SIMULTANEOUS DUC EXT UK

ROHS: Yes CE: Yes Country of Origin: MY

Weight (-) Dimensions (- (W) - (H) - (L) -) Number of 0 **Displays Number of** 2 **Pockets** Plug Type UK **Power Source** N/A **Technology** Motorola original Multi unit charger Type



POWER SUPPLY ADAPTOR, CHGR VEHICULAR ADAPTER VPA

....

Model No: PMLN7825A

Description: POWER SUPPLY ADAPTOR,CHGR

VEHICULAR ADAPTER VPA

ROHS: Yes CE: Yes Country of Origin: CN

Weight (-) - (W) - (H) - (L) Dimensions (-) Number of 0 Displays Number of **Pockets Plug Type** N/A N/A **Power Source Technology** Other Vehicular charger kit Type



CHGR DESKTOP MULTI UNIT IMPRES 2 1 DISPLAY EXT PS BASE

Model No: PMPN4156A

Description: CHGR DESKTOP MULTI UNIT IMPRES 2 1

DISPLAY EXT PS BASE

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	N/A
Power Source	N/A
Technology	IMPRES™ 2
Туре	Charger base




iTM enabled 12-pocket IMPRES charger (US plug)

Model No: PMPN4216A

Description: CHGR DESKTOP MULTI UNIT IMPRES 2 1

DISPLAY EXT PS US

ROHS: Yes CE: No Country of Origin: MY



Dimensions (

Number of

Displays

-)

- (W) - (H) - (L)

1



iTM enabled 12-pocket IMPRES charger (Euro plug)

Model No: PMPN4217A

Description: CHGR DESKTOP MULTI UNIT IMPRES 2 1

DISPLAY EXT PS EURO

ROHS: Yes CE: Yes Country of Origin: MY



iTM enabled 12-pocket IMPRES charger (UK plug)

Model No: PMPN4218A

Description: CHGR DESKTOP MULTI UNIT IMPRES 2 1

DISPLAY EXT PS UK/HK

ROHS: Yes CE: Yes Country of Origin: MY



Impres 2 6-Way Multi-Unit Charger base for radio or battery

Model No: PMPN4400A

Description: CHGR DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC BASE

Number of Pockets	12
Plug Type	EURO
Power Source	N/A
Technology	IMPRES™ 2
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	12
Plug Type	UK/HK
Power Source	N/A
Technology	IMPRES™ 2
_	
Туре	Multi unit charger
Weight (LB- Pound)	4.9
Weight (LB-	
Weight (LB- Pound) Dimensions (MM-	4.9
Weight (LB- Pound) Dimensions (MM- Millimeter) Number of	4.9 170 (W) 94.4 (H) 445 (L)
Weight (LB- Pound) Dimensions (MM- Millimeter) Number of Displays Number of	4.9 170 (W) 94.4 (H) 445 (L)
Weight (LB- Pound) Dimensions (MM- Millimeter) Number of Displays Number of Pockets	4.9 170 (W) 94.4 (H) 445 (L) 1
Weight (LB- Pound) Dimensions (MM- Millimeter) Number of Displays Number of Pockets Plug Type	4.9 170 (W) 94.4 (H) 445 (L) 1 6 N/A
Weight (LB-Pound) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source	4.9 170 (W) 94.4 (H) 445 (L) 1 6 N/A N/A




Impres 2 6-Way Multi-Unit Charger with US cord for radio or battery

Model No: PMPN4401A

Description: CHGR DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC NA/LA/CA

ROHS: Yes CE: Yes Country of Origin: MY



Weight (LB-

4.9



Impres 2 6-Way Multi-Unit Charger with EURO cord for radio or battery

Model No: PMPN4402A

Description: CHGR DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC EURO

ROHS: Yes CE: Yes Country of Origin: MY



Impres 2 6-Way Multi-Unit Charger with UK cord for radio or battery

Model No: PMPN4403A

Description: CHGR DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC UK

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER, CHGR DESKTOP MULTI UNIT BASE ONLY

Model No: PMPN4531A

Description: CHARGER, CHGR DESKTOP MULTI UNIT

BASE ONLY

ROHS: Yes Country of Origin: MY CE: Yes

Displays	
Number of Pockets	6
Plug Type	US
Power Source	N/A
Technology	IMPRES™ 2
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	EURO
Power Source	N/A
Technology	IMPRES™ 2
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	UK
Power Source	N/A
Technology	IMPRES™ 2
Туре	Multi unit charger
<u> </u>	
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	6
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Charger base



CHARGER,CHGR DESKTOP 1 MULTI UNIT EXT 90W PS 100-240VAC US/NA

Model No: PMPN4533A

Description: CHARGER, CHGR DESKTOP 1 MULTI UNIT

EXT 90W PS 100-240VAC US/NA

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER,CHGR DESKTOP 1 MULTI UNIT EXT 90W PS 100-240VAC EU

Model No: PMPN4534A

Description: CHARGER, CHGR DESKTOP 1 MULTI UNIT

EXT 90W PS 100-240VAC EU

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER,CHGR DESKTOP 1 MULTI UNIT EXT 90W PS 100-240VAC UK/HK

Model No: PMPN4535A

Description: CHARGER, CHGR DESKTOP 1 MULTI UNIT

EXT 90W PS 100-240VAC UK/HK

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER, CHGR DESKTOP 2 MULTI UNIT 1 BRACKET EXT 90W PS 100-240VAC US/NA

Model No: PMPN4543A

Description: CHARGER, CHGR DESKTOP 2 MULTI UNIT 1

BRACKET EXT 90W PS 100-240VAC US/NA

Weight (-) - Dimensions (- (W) - (H) - (L) -) 0 Number of Displays 0 Number of Pockets 6 Plug Type US Power Source N/A Technology Motorola original Type Multi unit charger Weight (-) - Dimensions (- (W) - (H) - (L) -) 0 Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original Type Multi unit charger
-) Number of Displays Number of Pockets Plug Type US Power Source N/A Technology Motorola original Type Multi unit charger Weight (-) Dimensions (-(W)-(H)-(L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Displays Number of Pockets 6 Plug Type US Power Source N/A Technology Motorola original Type Multi unit charger Weight (-) - Dimensions (-) -(W) - (H) - (L) -) 0 Number of Displays 0 Number of Pockets 6 Plug Type EURO Power Source N/A Technology Motorola original
Plug Type US Power Source N/A Technology Motorola original Type Multi unit charger Weight (-) - Dimensions (-(W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Power Source N/A Technology Motorola original Type Multi unit charger Weight (-) - Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Technology Motorola original Type Multi unit charger Weight (-) - Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Type Multi unit charger Weight (-) - Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Weight (-) - Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Dimensions (- (W) - (H) - (L) -) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
-) Number of Displays Number of Pockets Plug Type EURO Power Source N/A Technology Motorola original
Displays Number of Pockets 6 Plug Type EURO Power Source N/A Technology Motorola original
Pockets Plug Type EURO Power Source N/A Technology Motorola original
Power Source N/A Technology Motorola original
Technology Motorola original
<u> </u>
Type Multi unit charger
Weight (-) -
Dimensions (- (W) - (H) - (L) -)
Number of 0 Displays
Number of 6 Pockets
Plug Type UK/HK
Power Source N/A
Technology Motorola original
Type Multi unit charger
Weight (-) -
Dimensions (- (W) - (H) - (L) -)
Number of 0 Displays
Number of 12 Pockets
Pockets
Pockets Plug Type US



CHARGER, CHGR DESKTOP 2 MULTI UNIT 1 BRACKET EXT 90W PS 100-240VAC EU

Model No: PMPN4544A

Description: CHARGER, CHGR DESKTOP 2 MULTI UNIT 1

BRACKET EXT 90W PS 100-240VAC EU

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER, CHGR DESKTOP 2 MULTI UNIT 1 BRACKET EXT 90W PS 100-240VAC UK/HK

Model No: PMPN4545A

Description: CHARGER, CHGR DESKTOP 2 MULTI UNIT 1

BRACKET EXT 90W PS 100-240VAC UK/HK

ROHS: Yes CE: Yes Country of Origin: MY



CHARGER, CHGR DESKTOP 4 MULTI UNIT 2 BRACKET EXT 201W PS 100-240VAC US/NA

Model No: PMPN4553A

Description: CHARGER,CHGR DESKTOP 4 MULTI UNIT 2

BRACKET EXT 201W PS 100-240VAC US/NA

ROHS: Yes **CE**: Yes **Country of Origin**: MY



CHARGER, CHGR DESKTOP 4 MULTI UNIT 2 BRACKET EXT 201W PS 100-240VAC EU

Model No: PMPN4554A

Description: CHARGER,CHGR DESKTOP 4 MULTI UNIT 2

BRACKET EXT 201W PS 100-240VAC EU

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	12
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	12
Plug Type	UK/HK
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	
Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L)
Dimensions (-) Number of	
Dimensions (-) Number of Displays Number of	0
Dimensions (-) Number of Displays Number of Pockets	0 24
Dimensions (-) Number of Displays Number of Pockets Plug Type	0 24 US
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	0 24 US N/A
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology	US N/A Motorola original
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-)	US N/A Motorola original Multi unit charger
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	US N/A Motorola original Multi unit charger
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (US N/A Motorola original Multi unit charger
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of	0 24 US N/A Motorola original Multi unit charger (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of	US N/A Motorola original Multi unit charger(W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	0 24 US N/A Motorola original Multi unit charger - (W) - (H) - (L) 0 24
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	US N/A Motorola original Multi unit charger(W) - (H) - (L) 0 24 EURO



CHARGER, CHGR DESKTOP 4 MULTI UNIT 2 BRACKET EXT 201W PS 100-240VAC UK/HK

Model No: PMPN4555A

Description: CHARGER, CHGR DESKTOP 4 MULTI UNIT 2

BRACKET EXT 201W PS 100-240VAC UK/HK

ROHS: Yes CE: Yes Country of Origin: MY



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM BARREL, US/JP

Model No: PS000042A01

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM

BARREL, US/JP

ROHS: Yes CE: Yes Country of Origin: CN



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM BARREL, EU

Model No: PS000042A02

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM

BARREL, EU

ROHS: Yes CE: Yes Country of Origin: CN



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM BARREL, UK/HK

Model No: PS000042A03

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, 5.5MM

BARREL, UK/HK

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	24
Plug Type	UK/HK
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	0
Plug Type	US
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) 0
Dimensions (-) Number of	
Dimensions (-) Number of Displays Number of	0
Dimensions (-) Number of Displays Number of Pockets	0
Dimensions (-) Number of Displays Number of Pockets Plug Type	0 0 EURO
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	0 0 EURO N/A
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	0 EURO N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-)	0 EURO N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-)	0 EURO N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (0 EURO N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of	0 EURO N/A Power supply Charger component (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of	0 EURO N/A Power supply Charger component (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	0 EURO N/A Power supply Charger component (W) - (H) - (L) 0
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	0 0 EURO N/A Power supply Charger component (W) - (H) - (L) 0 UK/HK



POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, SINECO, US/JP

Model No: PS000042A31

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, SINECO,

US/JP

ROHS: Yes CE: Yes Country of Origin: CN



Personal Charger with Euro plug

Model No: PS000042A32

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, SINECO,

Εl

ROHS: Yes CE: Yes Country of Origin: CN



Personal Charger with UK plug

Model No: PS000042A33

Description: POWER SUPPLY ADAPTOR, POWER-WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, SINECO,

UK/HK

ROHS: Yes CE: Yes Country of Origin: CN



POWER SUPPLY ADAPTOR, EXT 201W POWER SUPPLY ,

C8I

Model No: PS000212A02

Description: POWER SUPPLY ADAPTOR, EXT 201W

POWER SUPPLY, C8P

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	0
Plug Type	US
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	0
Plug Type	EURO
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) 0
Dimensions (-) Number of	
Dimensions (-) Number of Displays Number of	0
Dimensions (-) Number of Displays Number of Pockets	0
Dimensions (-) Number of Displays Number of Pockets Plug Type	0 0 UK/HK
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	0 0 UK/HK N/A
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology	0 UK/HK N/A Power supply
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	0 UK/HK N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (0 UK/HK N/A Power supply Charger component
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of	0 UK/HK N/A Power supply Charger component - - (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of	0 UK/HK N/A Power supply Charger component - - (W) - (H) - (L)
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	0 UK/HK N/A Power supply Charger component (W)-(H)-(L) 0
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	0 UK/HK N/A Power supply Charger component (W) - (H) - (L) 0 N/A
Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	0 UK/HK N/A Power supply Charger component (W) - (H) - (L) 0 N/A N/A



POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, EU

Model No: PS000227A12

Description: POWER SUPPLY ADAPTOR, AC, DC, 5W, 100V

- 240V, MICROUSB, EU

ROHS: Yes CE: Yes

Country of Origin: CN



POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, UK/HK

...., ...,

Description: POWER SUPPLY ADAPTOR, AC, DC, 5W, 100V

- 240V, MICROUSB, UK/HK

Model No: PS000227A13

ROHS: Yes

CE: Yes

Country of Origin: CN



POWER SUPPLY ADAPTOR, POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C8P

Model No: PS000242A04

Description: POWER SUPPLY ADAPTOR, POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C8P

ROHS: Yes CE: Yes Country of Origin: CN

Weight (-) Dimensions (- (W) - (H) - (L) -) **Number of Displays** Number of 1 **Pockets** Plug Type **EURO Power Source** N/A Technology Power supply Charger component Type Weight (-)

Dimensions (- (W) - (H) - (L) -)

Number of

Displays
Number of

Pockets
Plug Type UK/HK

Power Source N/A
Technology Power supply

Type Charger component

1

Weight (-)

Dimensions (- (W) - (H) - (L) -)

O

0

Number of Displays

Number of Pockets

Plug Type N/A

Power Source N/A

Technology Power supply

Type Charger component

ANTENNAS



ANTENNA, STUBBY, UHF1, ANTENNA, STUBBY, UHF1 (380-430 MHZ), 60MM

Model No: AN000354B01

Description: ANTENNA, STUBBY, UHF1, ANTENNA,

STUBBY, UHF1 (380-430 MHZ), 60MM

ROHS: Yes CE: N/A Country of Origin: MY

Weight (-) Dimensions (- (W) - (H) - (L) Frequency UHF Band 380-430 MHz Frequency Range (MHz) Integrated No GPS Intrinsic N/A **Safety Rating** Mounting N/A Style Portable radio antenna Type



ANTENNA, WHIP, UHF 1, ANTENNA, WHIP, UHF (380-470 MHZ), 120MM

Model No: AN000362A01

Description: ANTENNA, WHIP, UHF1, ANTENNA, WHIP,

UHF (380-470 MHZ), 120MM

ROHS: Yes CE: N/A Country of Origin: MY

Flexible Whip, UHF Antenna, 403-470 MHz

Compatible with XPR 6000 series, this MOTOTRBO Antenna is a UHF wideband flexible whip antenna, designed for the 403-470 frequency band.

Model No: PMAE4022B

Description: DMR UHF WHIP ANTENNA(380-480MHZ)

ROHS: Yes CE: N/A Country of Origin: MY

UHF Stubby Antenna (380-470MHz)

Compatible with the APX 900, this APX antenna accessory is a stubby, UHF antenna designed for the 380-470 MHz frequency band.

Model No: PMAE4100A

Description: ANTENNA, STUBBY, UHF (380-470 MHZ)

9CM

ROHS: Yes CE: Yes Country of Origin: MY

Pack of 5 blue color rings for antenna

Not compatible with MTP6650.

Model No: PMLN6285A

Description: 5-COLOR RINGS FOR ANTENNA (BLUE)


ROHS: Yes CE: N/A Country of Origin: CN Diı (M Mi Fre Ba Fre Ra Int GP Int Sa Mo Stv Ту We Diı (IN Fre Ba Fre Ra Int GI In S Ν S T W D

Type

Weight (-)	-
Dimensions (MM- Millimeter)	- (W) - (H) 120 (L)
Frequency Band	UHF
Frequency Range (MHz)	380-470 MHz
Integrated GPS	No
Intrinsic Safety Rating	No
Mounting Style	N/A
Туре	Portable radio antenna
Weight (-)	-
Dimensions	- (W) 6.25 (H) 0.5 (L)
(IN-Inch)	
Frequency Band	UHF
Frequency	UHF 403-470 MHz

GPS	
ntrinsic Safety Rating	N/A
Mounting Style	N/A
Гуре	Portable radio antenna
Weight (-)	-
Dimensions (·)	- (W) - (H) - (L)
	THIE

Frequency UHF Band 380-470 MHz Frequency Range (MHz) Integrated No GPS Intrinsic N/A **Safety Rating** Mounting N/A







Pack of 5 white color rings for antenna


Not compatible with MTP6650.

Model No: PMLN6286A

Description: 5-COLOR RINGS FOR ANTENNA (PEARL

WHITE)

ROHS: Yes CE: N/A Country of Origin: CN



- (W) - (H) - (L)

Weight (-)

Weight (-)

Weight (-)

Dimensions (



Pack of 5 green color rings for antenna

Not compatible with MTP6650.

Model No: PMLN6287A

Description: 5-COLOR RINGS FOR ANTENNA (NEON

GREEN)

ROHS: Yes CE: N/A Country of Origin: CN

Dimensions (-)	- (W) - (H) - (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands



Pack of 5 yellow color rings for antenna

Not compatible with MTP6650.

Model No: PMLN6288A

Description: 5-COLOR RINGS FOR ANTENNA(NEON

YELLOW)

ROHS: Yes CE: N/A Country of Origin: CN

Dimensions (-)	- (W) - (H) - (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands



5-COLOR RINGS FOR ANTENNA (RED)

Model No: PMLN6289A

Description: 5-COLOR RINGS FOR ANTENNA (RED) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Type	Antenna lu banus
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands



Peter Jones Sew-On Dock

This Peter Jones Dock is permanently stitched to your

uniform.

Model No: GMDN0386A

Description: CARRYCASE

ASSEMBLY, CLAMSHELL, PLAS, SEW-ON DOCK

ROHS: Yes CE: N/A Country of Origin: GB



Klick Fast Mounting Dock for RSM garment tag

Peter Jones (ILG) Klick Fast tag dock

Model No: GMDN0445AA

Description: PETER JONES RSM TAG

ROHS: Yes CE: N/A Country of Origin: GB



Belt Loop with Screw on Dock

Peter Jones (ILG) Klick Fast leather belt loop with mounting dock (50 mm)

Model No: GMDN0445AC

Description: PETER JONES BELT LOOP 50MM W/DOCK

LOW HANG

ROHS: N/A CE: N/A Country of Origin: DE



Belt Loop Dock

Model No: GMDN0497A

Description: PETER JONES BELT DOCK 38MM

ROHS: Yes CE: N/A Country of Origin: GB

Weight (-)	-
Dimensions (IN-Inch)	2.5 (W) 0.5 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Accessories
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	A
Type	Accessories
Weight (-)	-
	- - (W) - (H) - (L)
Weight (-) Dimensions (-
Weight (-) Dimensions (-) Belt Loop / Clip Dimension	- - (W) - (H) - (L)
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible	- - (W) - (H) - (L) N/A
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries	- - (W) - (H) - (L) N/A
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display	- - (W) - (H) - (L) N/A N/A
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	- -(W) - (H) - (L) N/A N/A Plastic
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material	- -(W) - (H) - (L) N/A N/A Plastic
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (- (W) - (H) - (L) N/A N/A N/A Plastic Accessories -
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension	(W) - (H) - (L) N/A N/A Plastic Accessories (W) - (H) - (L)
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible	(W) - (H) - (L) N/A N/A Plastic Accessories (W) - (H) - (L) N/A
Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries	(W) - (H) - (L) N/A N/A Plastic Accessories (W) - (H) - (L) N/A



Dock for Uniform Tag

Peter Jones (ILG) Klick Fast double tongue tag dock attaches to shoulder-wearing device with Peter Jones (ILG) Klick Fast stud (PMLN5004).

Model No: GMDN0547A

Description: DOUBLE TONGUE TAG DOCK

ROHS: Yes CE: N/A Country of Origin: DE



Leather Belt Loop with Screw on Dock

Model No: GMDN0566AC

Description: PETER JONES BELT LOOP 50MM AND

DOCK

ROHS: Yes CE: N/A Country of Origin: GB



Peter Jones Klick Fast Belt Dock 50mm

Peter Jones (ILG) Klick Fast belt dock (50 mm)

Model No: GMLN4488A

Description: PETER JONES BELT DOCK 50MM

ROHS: Yes CE: N/A Country of Origin: GB



Wrist Strap

This is a black wrist strap which attaches directly to the

radio.

Model No: HLN9767C

Description: CARRY ACCESSORY-STRAP, WRIST STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Weight (-)	
Dimensions (- (W) - (H) - (L)
-)	('') ('') (=)
Belt Loop /	N/A
Clip Dimension	
(in)	
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Accessories
.,,,,,	7,000,000,000
Weight (-)	-
Dimensions (- (W) - (H) - (L)
-)	N/A
Belt Loop / Clip	N/A
Dimension	
(in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Accessories
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (-) Belt Loop /	- - (W) - (H) - (L) N/A
Dimensions (-) Belt Loop / Clip	
Dimensions (-) Belt Loop /	
Dimensions (-) Belt Loop / Clip Dimension	
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible	N/A
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries	N/A
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display	N/A N/A
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	N/A N/A Plastic
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-)	N/A N/A N/A Plastic Accessories
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	N/A N/A Plastic
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop /	N/A N/A N/A Plastic Accessories
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-)	N/A N/A Plastic Accessories (W) - (H) - (L)
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip	N/A N/A Plastic Accessories (W) - (H) - (L)
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension	N/A N/A Plastic Accessories (W) - (H) - (L)
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible	N/A N/A Plastic Accessories (W) - (H) - (L) N/A
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries	N/A N/A Plastic Accessories (W) - (H) - (L) N/A
Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (-) Belt Loop / Clip Dimension (in) Compatible Batteries Display	N/A N/A N/A Plastic Accessories (W) - (H) - (L) N/A N/A



Shoulder Strap

Shoulder Strap for Carry Cases with D-rings for


Model No: NTN5243A

Description: STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Weight (GM-

125





2.5" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT, 2.5 INCH SWIVEL BELT

LOOP

ROHS: Yes CE: N/A Country of Origin: CN



3" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5611A

Description: ACCESSORY KIT,3.0 INCH SWIVEL BELT

LOOP

ROHS: Yes CE: N/A Country of Origin: CN

Weight (GM- Gram)	125
Dimensions (IN-Inch)	0.13 (W) 36 (H) 0.63 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Belts and straps
Weight (-)	- (10, (10, (1)
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Туре	Swivel
Weight (GM- Gram)	47
Dimensions (IN-Inch)	1 (W) 3.75 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Туре	Swivel
Weight (GM- Gram)	46.7
Dimensions (IN-Inch)	1 (W) 4 (H) 2.38 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Туре	Swivel



Spring Belt Clip 2 inches

Spring belt clip, 2".

Model No: PMLN5616B

Description: CARRY ACCESSORY-BELT CLIP, TETRA BELT

CLIP 2IN

ROHS: Yes CE: N/A Country of Origin: MY



Peter Jones Klick Fast Belt Dock, 32mm

Peter Jones (ILG) Klick Fast belt dock for mounting through belts up to 32mm in width - attaches to shoulder-wearing device with Peter Jones (ILG) Klick Fast stud (PMLN5004).

Model No: PMLN5829A

Description: PETER JONES DOCK 01 32MM BELT **ROHS:** Yes **CE:** N/A **Country of Origin:** GB



Extended Klick Fast Mounting Dock for RSM garment tag

•This Klick Fast solution requires the stud with short lever PMLN8025A for use with MTP6000 and MTP3000 series

Model No: PMLN7961A

Description: MOUNTING KIT, KLICK FAST SHOULDER

MOUNT DOCKRSMTAGLONG

ROHS: Yes **CE**: N/A **Country of Origin**: GB



Shoulder Wearing Device with short lever

Model No: PMLN8025A

Description: CARRY ACCESSORY-BELT CLIP,PETER

JONES STUD VERSION 2

ROHS: Yes **CE**: N/A **Country of Origin**: GB

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip	2 inch
Dimension (in)	
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Belt Clip
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop /	1.25 inch
Clip Dimension (in)	
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Klick fast solutions
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Klick fast solutions
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic

Klick fast solutions

Type



2.5-INCH BELT CLIP

Model No: PMLN8181A

Description: 2.5-INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	Display visible
Material	Plastic
Туре	Belt Clip



CARRY ACCESSORY-CASE, SOFT LEATHER CARRY CASE WITH 2.5" SWIVEL BELT LOOP

Model No: PMLN8683A

Description: CARRY ACCESSORY-CASE, SOFT LEATHER

CARRY CASE WITH 2.5" SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: IN

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	PMNN4801A,PMNN4802A,PMNN4582A
Display	Display visible
Material	Soft leather
Туре	Belt loop



CARRY ACCESSORY-CASE, SOFT LEATHER CARRY CASE WITH 3" SWIVEL BELT LOOP

Model No: PMLN8684A

Description: CARRY ACCESSORY-CASE,SOFT LEATHER

CARRY CASE WITH 3" SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: IN

5 \ ,	
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	PMNN4801A,PMNN4802A,PMNN4582A
Display	Display visible
Material	Soft leather
Туре	Belt loop

Weight (-)



CARRY ACCESSORY-CASE, SOFT LEATHER CARRY CASE FOR PETER JONES STUD

Model No: PMLN8685A

Description: CARRY ACCESSORY-CASE, SOFT LEATHER

CARRY CASE FOR PETER JONES STUD

ROHS: Yes CE: N/A Country of Origin: IN

Туре	Belt loop
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	PMNN4801A,PMNN4802A,PMNN4582A
Display	Display visible
Material	Soft leather
Туре	N/A



Break-a-Way Chest Pack

This carry solution is a break-a-way chest pack with radio holder pen holder and velcro secured pouch.

Model No: RLN4570A

Description: BREAKAWAY CHEST PACK

ROHS: Yes CE: Yes Country of Origin: MY



Peter jones Dock

This Peter Jones Dock hard-mounts to your uniform

with screws.

Model No: WALN4307A

Description: PETER JONES SCREW MOUNT

ROHS: Yes **CE**: N/A **Country of Origin**: GB

Weight (-)	-
Dimensions (IN-Inch)	13.5 (W) 9 (H) 7.5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Chest packs
Weight (-)	0.63 (W) 2.25 (H) 2.25 (L)
(IN-Inch)	
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Accessories

HEADSETS



SAVOX HC-2 - HELMET COM HEADSET

SAVOX non-ATEX HC-2 headset.

Model No: GMMN4584A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-2 HEADSET

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Connector Type	Nexus
Earpiece Style	Dual-muff
Headset Type	Helmet attached
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Embedded microphone
Noise Reduction Rating	N/A
Technology	N/A
PTT	Requires RSM



SAVOX HC-1 - HELMET COM HEADSET

SAVOX non-ATEX HC-1 headset.

Model No: GMMN4585A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-1 HEADSET

ROHS: Yes

CE: Yes

Country of Origin: FI



Behind-the-Head Headset, GCAI Mini

The Motorola Solutions PMLN8085A Behind-The-Head headset is designed to work with the new Motorola R7 radio.

Model No: PMLN8085A

Description: BEHIND-THE-HEAD HEADSET

-
- (W) - (H) - (L)
Nexus
Single-ear
Helmet attached
N/A
N/A
N/A
Embedded microphone
N/A
N/A
Requires RSM
752
114 (W) 197 (H) 914 (L)
Direct to radio
Dual-muff
Behind-the-head
N/A
N/A
TIA4950(UL)
Boom mic
24 dB
Motorola original
On ear cup



Over-the-Head Headset, GCAI Mini

Maximum comfort for extended wear with superior audio quality.

Model No: PMLN8086A

Description: OVER-THE-HEAD HEADSET

ROHS: Yes CE: Yes Country of Origin: CN

3M™ Peltor Headband Headset w/Nexus Connector

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The headband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8265A

Description: HEADBAND HEADSET W/ NEXUS

Weight (GM- Gram)	830
Dimensions (MM- Millimeter)	83 (W) 191 (H) 914 (L)
Connector Type	Direct to radio
Earpiece Style	Dual-muff
Headset Type	Over-the-head
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	Boom mic
Noise Reduction Rating	24 dB
Technology	Motorola original
PTT	On ear cup
	·
Weight (GM- Gram)	357
Gram) Dimensions	357
Gram) Dimensions (IN-Inch) Connector	357 4.5 (W) 7 (H) 4.75 (L)
Gram) Dimensions (IN-Inch) Connector Type Earpiece	357 4.5 (W) 7 (H) 4.75 (L) Nexus
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff Over-the-head
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff Over-the-head N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff Over-the-head N/A N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff Over-the-head N/A N/A N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction	357 4.5 (W) 7 (H) 4.75 (L) Nexus Dual-muff Over-the-head N/A N/A N/A N/A Boom mic



3M™ Neckband Headset w/Nexus

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The neckband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission. It has a noise reduction rating of 24 dB for excellent hearing protection. Requires PMLN8297 push-to-talk adapter (not included).

Model No: PMLN8266A

Description: NECKBAND HEADSET W/ NEXUS

ROHS: Yes CE: Yes Country of Origin: PL



3M™ Peltor Hard Hat Headset Attachment w/Nexus Connector

The 3M Peltor CH-3 Series are designed for industrial users working in high noise environments. The hard hat headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8267A

Description: HARDHAT HEADSET W/ NEXUS

Weight (GM- Gram)	337
Dimensions (IN-Inch)	4.25 (W) 5.75 (H) 5.75 (L)
Connector Type	Nexus
Earpiece Style	Dual-muff
Headset Type	Neckband
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
Noise Reduction Rating	25 dB
Technology	Motorola original
PTT	N/A
Weight (GM- Gram)	369
• •	369 5 (W) 6.25 (H) 3.25 (L)
Gram) Dimensions	
Gram) Dimensions (IN-Inch) Connector	5 (W) 6.25 (H) 3.25 (L)
Gram) Dimensions (IN-Inch) Connector Type Earpiece	5 (W) 6.25 (H) 3.25 (L) Nexus
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff Helmet attached
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff Helmet attached N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff Helmet attached N/A N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff Helmet attached N/A N/A
Gram) Dimensions (IN-Inch) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction	5 (W) 6.25 (H) 3.25 (L) Nexus Dual-muff Helmet attached N/A N/A N/A Boom mic



3M™ Peltor Nexus Body Push-to-Talk Adapter

The Push-to-Talk Nexus Adapter provides quick disconnect by allowing you to quickly plug and unplug from your headset. This audio accessory works with Nexus connectors and provides you with easy access to a large push-to-talk button.

Model No: PMLN8297A

Description: GCAI-MINI PTT NEXUS ADAPTER

ROHS: Yes CE: Yes **Country of Origin: SE**

Weight (GM- Gram)	129
Dimensions (MM- Millimeter)	54 (W) 47 (H) 67 (L)
Connector Type	Nexus
Earpiece Style	N/A
Headset Type	Headset accessories
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	N/A
PTT	REQUIRES HEADSET ACCESSORY

EARPIECES



Fast PTT Module without Charger

Large PTT and volume control with 25ms Fast PTT. Fits easily in the hand or pocket. Audible and visual status indicators for Pairing, Bluetooth link, Battery status (low and critical) and Charging status.

Model No: NNTN8191D

Description: ACCESSORY KIT, ACCESSORY KIT, ASSY, ACCY, BT ACCY KIT, STD PAIR, NCHGR

ROHS: Yes CE: Yes **Country of Origin: MX**



1-Wire Earbud With 29cm Cord, Black

This wireless earbud has a simple, discreet design for business users wearing professional attire or for public safety users working undercover.

Model No: NNTN8294A

Description: 1-WIRE EARBUD,29CM CORD,BLACK

Country of Origin: CN ROHS: Yes CE: Yes



1-Wire Earbud With 116cm Cord, Black

This wireless earbud has a simple, discreet design for business users wearing professional attire or for public safety users working undercover.

Model No: NNTN8295A

Description: 1-WIRE EARBUD,116CM CORD,BLACK ROHS: Yes **Country of Origin: CN** CE: Yes

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	Integrated ear mic
PTT	In-line
Weight (-)	-
Dimensions	0.5 (W) 14 (H) 1.5 (L)

Dimensions (IN-Inch)	0.5 (W) 14 (H) 1.5 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-ear
PTT	N/A
Weight (-)	-
Dimensions (IN-Inch)	0.5 (W) 2 (H) 0.5 (L)
Earpiece Type	Wireless

Industry

Intrinsic

N/A

N/A




Discreet Operational Critical Wireless Surveillance Kit

Model No: NNTN8433A

Description: ACCESSORY KIT, OCW COMPLETELY

DISCREET SURVEILLANCE KIT

ROHS: Yes CE: Yes **Country of Origin: MX**





Wireless Neck Loop Retention Hook, Bulk Replacement

(pack of 10)

NECKLOOP RETENTION HOOK, BULK REPLACEMENT

Model No: NNTN8457A

Description: NECKLOOP RETENTION HOOK, BULK

REPLACEMENT

ROHS: Yes CE: Yes **Country of Origin: CN**



Earpiece With 12-Inch Cable

This NTN2572A Replacement Earpiece is designed specifically for first responders. It's seamless, streamlined, and encrypted with strong 128-bit keys.

Model No: NTN2572A

Description: ACCESSORY KIT, EARPIECE W/12" CABLE

ROHS: Yes CE: Yes Country of Origin: MO



1-Wire Surveillance Kit With In-Line Microphone

The Motorola Solutions PMLN7052A 1-Wire Surveillance Kit has an in-line microphone ideal for transmissions in loud environments.

Model No: PMLN7052A

Description: AUDIO ACCESSORY-SURVEILLANCE,1-WIRE

SURVEILLANCE KIT FOR OCW/MCW

ROHS: Yes CE: Yes Country of Origin: CN



Receive only Earpiece with Translucent Tube and Eartip

Earpiece with clear comfort tube, 3.5mm, ATEX.


Model No: PMLN7188B

Description: AUDIO ACCESSORY-EARPIECE, ENH ATEX

3.5MM EARPIECE W/TRAN TUBE

ROHS: Yes CE: Yes Country of Origin: MY

Safety Rating	TVA
Microphone	In-line
PTT	On PTT pod
Weight (-)	-
Dimensions (IN-Inch)	0.25 (W) 2.25 (H) 1.38 (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (IN-Inch)	0.25 (W) 1.25 (H) 2.75 (L)



Weight (-)	-
Dimensions (IN-Inch)	1 (W) 25 (H) 3 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	ATEX/IECEX
Microphone	N/A
PTT	N/A

Weight (-)



Receive-Only Earpiece With Translucent Tube

Motorola Solutions PMLN7560 receive only earpiece with translucent comfort eartube.

Model No: PMLN7560A

Description: REC ONLY EARPIECE W/TRANSLUCENT

TUBE

ROHS: Yes CE: Yes Country of Origin: CN



WIRELESS EARPIECE with in-line push to talk

The PMLN7851A PTT Boom Mic Wireless Earpiece is a Bluetooth wireless earpiece compatible with all Motorola Solutions Bluetooth-enabled two-way radios.

Model No: PMLN7851A

Description: OPERATIONAL CRITICAL WIRELESS

EARPIECE PTT

ROHS: Yes CE: Yes Country of Origin: CN



Small earbud replacement, pack of 5

•Size: small

•Compatible with EP900w BT Earpiece PMLN7851A

•One kit includes 5 replacement earbuds

Model No: PMLN7940A

Description: SMALL EARBUD FOR OCW BT PTT,

REPLACEMENT (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN



Large earbud replacement, pack of 5

Size: large

•Compatible with EP900w BT Earpiece PMLN7851A

•One kit includes 5 replacement earbuds

Model No: PMLN7941A

Description: LARGE EARBUD FOR OCW BT PTT,

REPLACEMENT (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN



ACCESSORY KIT, SMALL ROUND EARBUD FOR OCW BT PTT, REPLACEMENT (PACK OF 5)

Model No: PMLN8036A

Description: SMALL ROUND EARBUD FOR OCW BT PTT,

REPLACEMENT (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN

Weight (GM- Gram)	61
Dimensions (IN-Inch)	0.63 (W) 6.5 (H) 0.75 (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (GM- Gram)	23

Gram)	
Dimensions (IN-Inch)	1.04 (W) 2.83 (H) 4.23 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
PTT	Boom mic

Weight (GM- Gram)	0.84
Dimensions (MM- Millimeter)	17 (W) 15 (H) 22.21 (L)
Earpiece Type	Wireless
Industry	N/A

Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A

Gram)

Dimensions 17 (W) 16 (H) 24.35 (L) (MM-Millimeter)

0.6

N/A

Weight (GM-

Weight (GM-

Gram)

PTT

Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A

Dimensions (MMMillimeter)

Earpiece Type Earpiece part

Industry N/A

Intrinsic N/A
Safety Rating

Microphone N/A




ACCESSORY KIT.MEDIUM ROUND EARBUD FOR OCW BT PTT, REPLACEMENT (PACK OF 5)

Model No: PMLN8037A

Description: MEDIUM ROUND EARBUD FOR OCW BT

PTT, REPLACEMENT (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN



Weight (GM-

Dimensions

0.61




ACCESSORY KIT, LARGE ROUND EARBUD FOR OCW BT PTT, REPLACEMENT (PACK OF 5)

Model No: PMLN8038A

Description: LARGE ROUND EARBUD FOR OCW BT PTT,

REPLACEMENT (PACK OF 5)

ROHS: Yes CE: N/A **Country of Origin: CN**





Earhook Eartip, Small

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8068A

Description: EARHOOK EARTIP, S (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN

(MM- Millimeter)	
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A

12.5 (W) 8.5 (H) 17.4 (L)



Earhook Eartip, Medium

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8069A

Description: EARHOOK EARTIP, M (PACK OF 5) ROHS: Yes CE: N/A **Country of Origin: CN**

Weight (GM- Gram)	0.61
Dimensions (MM- Millimeter)	13 (W) 9.4 (H) 17.4 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
	-
Weight (GM-	0.7



Earhook Eartip, Large

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8070A

Description: EARHOOK EARTIP, L (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN

Gram)	0.7
Dimensions (MM- Millimeter)	14 (W) 10.9 (H) 17.4 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A



Earpiece, Cloth Clip (Pack of 10)

Model No: PMLN8079A

Description: EARPIECE,CLOTH CLIP (PACK OF 10) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN



1- Wire IMPRES™ Surveillance Kit, In Line Mic/PTT, Xtra Loud Translucent Tube Speaker System, TIA Compliance

Discreetly send and receive messages in loud environments. Equipped with an inline microphone and PTT. The clear tube earpiece is replaceable with quick disconnect and supports loud audio feature enabled by the device. The speaker is wideband ready to provide better audio quality.

Model No: PMLN8082A

Description: AUDIO ACCESSORY-EARPIECE,1-WIRE XL

CLEAR TUBE EARPIECE

ROHS: Yes CE: Yes Country of Origin: CN



2 - Wire IMPRES™ Surveillance Kit, Mic/PTT on one wire, Xtra Loud Translucent Tube Speaker System on second wire, TIA Compliance

Discreetly send and receive messages in loud environments. Equipped with one wire for receiving transmissions and second wire with a combined microphone, programmable button and PTT. Supports loud audio feature enabled by the device. Speaker is wideband ready. The cClear tube is replaceable with quick disconnect.

Model No: PMLN8083A

Description: AUDIO ACCESSORY-EARPIECE,2-WIRE XL

CLEAR TUBE EARPIECE

ROHS: Yes CE: Yes Country of Origin: CN



3 - Wire IMPRES™ Surveillance Kit, Mic/PTT/Xtra Loud Translucent Tube Speaker System on three separate wires, TIA Compliance

Discreetly send and receive messages in loud environments. Equipped with one wire for receiving transmissions, one wire for the microphone and a third for programmable button and PTT. Supports loud audio feature enabled by the device. Speaker is wideband ready. The cClear tube is replaceable with quick disconnect.

Model No: PMLN8084A

Description: AUDIO ACCESSORY-EARPIECE,3-WIRE XL

CLEAR TUBE EARPIECE

Weight (GM- Gram)	1.8
Dimensions (MM- Millimeter)	9.6 (W) 22.6 (H) 28.7 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Surveillance and covert
Industry	Police
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Surveillance and covert
Industry	Police
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Surveillance and covert
Industry	Police
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line



1-wire Short Cord xL Clear Tube Earpiece, Rx only, GCAI

Model No: PMLN8087A

Description: AUDIO ACCESSORY-EARPIECE,1-WIRE SHORT CORD XL CLEAR TUBE EARPIECE, RX ONLY

ROHS: Yes

CE: Yes

Country of Origin: CN



Acoustic Tube with Rubber Earbud, Replacement Kit

Model No: PMLN8092A

Description: ACOUSTIC TUBE WITH RUBBER EARBUD,

REPLACEMENT KIT

ROHS: Yes

CE: N/A

Country of Origin: CN



3.5mm Receive Only Xtra Loud Translucent Tube RSM **Earpiece**

Discreetly receive messages when using a remote speaker microphone. Supports loud audio feature enabled by the device. Speaker is wideband ready. The clear tube is replaceable with quick disconnect.

Model No: PMLN8120A

Description: RX ONLY XL CLEAR TUBE EARPIECE,

3.5MM JACK

ROHS: Yes

Country of Origin: CN CE: Yes



E

Model No: PMLN8247A

Description: AUDIO ACCESSORY-EARPIECE,RX ONLY ADJUSTABLE D-STYLE EARPIECE WITH GCAI-MINI

ROHS: Yes

CE: Yes

Country of Origin: CN



AUDIO ACCESSORY-EARPIECE, RX ONLY OVER-THE-EAR **EARPIECE WITH GCAI-MINI**

Model No: PMLN8248A

Description: AUDIO ACCESSORY-EARPIECE.RX ONLY

OVER-THE-EAR EARPIECE WITH GCAI-MINI CE: Yes

ROHS: Yes

Country of Origin: CN

Weight (-)	-
Dimensions (- (W) - (H) - (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (GM- Gram)	4
Dimensions (MM- Millimeter)	20 (W) 10 (H) 40 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (GM- Gram)	14.8
Dimensions (MM- Millimeter)	24 (W) 19 (H) 490 (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Over ear
to do a torre	A1/A

AUDIO ACCESSORY-EARPIECE,RX ONLY ADJUSTABLI
D-STYLE EARPIECE WITH GCAI-MINI
Model No: DMI NI9247A

Industry N/A Intrinsic N/A **Safety Rating**

Microphone N/A PTT N/A

Weight (-)

Dimensions (- (W) - (H) - (L)

-)

Over ear **Earpiece Type** Industry N/A Intrinsic N/A

Safety Rating Microphone

N/A PTT N/A



2-Wire, IMPRES™ Swivel Loud Audio Earpiece with Fartin

Equipped with one wire for receiving transmissions and a second with a combined microphone, programmable button and push-to-talk. Securely wear this earpiece on either side of the ear with a soft rubber ear hook. Earbuds are removable.

Model No: PMLN8295A

Description: 2-WIRE SWIVEL LOUD AUDIO EARPIECE

WITH EARTIP

ROHS: Yes CE: Yes Country of Origin: CN

Weight (GM- Gram)	43
Dimensions (MM- Millimeter)	19 (W) 13 (H) 1086 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	In-line
PTT	In-line



1-Wire, IMPRES™ Single Earbud with Removable Earhook

Comfortably wear the 1-Wire Single Earbud with the optional earhook for additional support. This earpiece comes with 3 different sized rubber sleeves to provide additional friction when worn.

Model No: PMLN8337A

Description: 1-WIRE SINGLE EARBUD WITH REMOVABLE

EARHOOK LOUD AUDIO EARPIECE

ROHS: Yes CE: Yes Country of Origin: CN

Weight (GM- Gram)	35
Dimensions (MM- Millimeter)	42 (W) 16 (H) 1095 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

LEGACY



BOTTOM CONNECTOR DUST COVER

Model No: PMHN4210A

Description: BOTTOM CONNECTOR DUST COVER

ROHS: Yes CE: N/A Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)

REPAIR-PARTS



Dust Cover, GCAI Mini

This is the radio dust cover for protecting the accessory connector when no audio devices have been connected to the radio.

Model No: PMHN4429A

Description: DUST COVER, GCAI MINI

ROHS: Yes CE: N/A Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)



BOTTOM CONNECTOR SERIAL DATA CABLE

Model No: PMKN4127A

Description: BOTTOM CONNECTOR SERIAL DATA

CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Data



TETRA USB DATA CABLE

Model No: PMKN4129A

Description: TETRA USB DATA CABLE

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Data

CABLESMISC



E2EE KVL CABLE

Model No: PMKN4124A

Description: E2EE KVL CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming

REMOTESPEAKERMICS



ACCESSORY KIT, REPLACEMENT CABLE FOR RSM

Model No: PMKN4232A

Description: REPLACEMENT CABLE FOR RSM

ROHS: Yes CE: N/A Country of Origin: CN

Weight (GM- Gram)	128.9
Dimensions (MM- Millimeter)	12.5 (W) 127 (H) 304 (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	RSM cable
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (GM- Gram)	16.45



Low Profile Swivel Clip

Replacement swivel clip for the remote speaker microphone PMMN4148.

Model No: PMLN8121A

Description: LOW PROFILE SWIVEL CLIP

ROHS: Yes CE: N/A Country of Origin: CN

Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (GM- Gram)	16.45
Dimensions (MM- Millimeter)	6.94 (W) 49.25 (H) 27.83 (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	RSM part
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None




Replacement Dust Cover for RSMs (Pack of 10)

Model No: PMLN8122A

Description: REPLACEMENT DUST COVER FOR RSM

(PACK OF 10)

ROHS: Yes CE: N/A Country of Origin: CN





Replacement Dust Cover (Pack of 10)

Replacement dust cover for the remote speaker microphone PMMN4148 and PMMN4131.

Model No: PMLN8253A

Description: ACCESSORY KIT, REPLACEMENT DUST

COVER (PACK OF 10)

ROHS: Yes CE: N/A Country of Origin: CN

Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None



Green Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8464A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT GREEN PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/

PMMN4151)

ROHS: Yes

CE: N/A

Country of Origin: MY



Blue Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8465A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,REPLACEMENT BLUE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/

PMMN4151)

ROHS: Yes

CE: N/A

Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) N/A
Dimensions (-) Channel	
Dimensions (-) Channel Control	N/A
Dimensions (-) Channel Control Display	N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating	N/A N/A N/A N/A No rating
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone	N/A N/A N/A N/A No rating N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl	N/A N/A N/A N/A No rating N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button	N/A N/A N/A N/A No rating N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button Technology Volume	N/A N/A N/A N/A No rating N/A N/A N/A N/A RSM part



Red Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8466A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT RED PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/ PMMN4151)

ROHS: Yes

CE: N/A

Country of Origin: MY



Yellow Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8468A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT YELLOW PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/ PMMN4151)

ROHS: Yes

CE: N/A

Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) N/A
Dimensions (-) Channel	
Dimensions (-) Channel Control	N/A
Dimensions (-) Channel Control Display	N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating	N/A N/A N/A N/A No rating
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone	N/A N/A N/A N/A No rating N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl	N/A N/A N/A N/A No rating N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button	N/A N/A N/A N/A No rating N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button Technology Volume	N/A N/A N/A N/A No rating N/A N/A N/A N/A RSM part



Silver Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8469A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT SILVER PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/

PMMN4151)

ROHS: Yes

CE: N/A

Country of Origin: MY



Orange Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8523A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT ORANGE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

1 10110114-101

ROHS: Yes

CE: N/A

Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmabl e Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (-)	-
Weight (-) Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) N/A
Dimensions (-) Channel	
Dimensions (-) Channel Control	N/A
Dimensions (-) Channel Control Display	N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic	N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating	N/A N/A N/A N/A No rating
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone	N/A N/A N/A N/A No rating N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl	N/A N/A N/A N/A No rating N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button	N/A N/A N/A N/A No rating N/A N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button Technology Volume	N/A N/A N/A N/A No rating N/A N/A N/A N/A RSM part



WM500 Wireless PoC/Radio Remote Speaker

This compact, wireless bluetooth speaker microphone is waterproof, durable, and lasts up to 40 hours between charges.

Model No: PMMN4127A

Description: OPERATIONAL CRITICAL WIRELESS

REMOTE SPEAKER MIC WM500

ROHS: Yes CE: Yes Country of Origin: MY

Weight (LB- Pound)	0.235
Dimensions (MM- Millimeter)	58 (W) 24.5 (H) 81 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP67
Microphone Type	Windporting
Programmabl e Button	Orange emergency and multiple programmable buttons
Technology	Wireless
Volume Control	Yes
Audiobuchse	3.5mm non-threaded
Weight (LB-	0.462971



RM780 IMPRES™ RSM, 3.5mm earpiece, radio controls, IP68, HAZLOC

Equipped with a loud and clear speaker, low profile swivel clip keeping the RSM closer to your body and a 3.5mm audio jack to attach an earpiece for discreet communications, it allows you to hear and be heard clearly.

Model No: PMMN4128A

Description: RM780 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

Control	
Audiobuchse	3.5mm non-threaded
Weight (LB- Pound)	0.462971
Dimensions (IN-Inch)	2.28 (W) 1.25 (H) 3.46 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Windporting
Programmabl e Button	Orange emergency and multiple programmable buttons
Technology	IMPRES
Volume Control	Yes
Audiobuchse	3.5mm non-threaded



RM730 IMPRES™ Windporting Remote Speaker Microphone, Small

Equipped with a loud and clear speaker, the wired RM730 RSM delivers exceptional design. When paired with the R7 radio, the noise suppression algorithm removes background noise to communicate clearly. IP68 (2m 4hours) certified.

Model No: PMMN4131A

Description: RM730 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, SMALL (IP68)

ROHS: Yes CE: Yes Country of Origin: MY



RM760 IMPRES™ Windporting Remote Speaker Microphone, Large

The RM760 large RSM is capable of performing clearly at 102 Phon loudness with a windporting microphone. It is Work-When-Wet and IP68 rated. It comes with a low profile swivel clip and the 3.5mm audio jack allows you to receive audio discreetly.

Model No: PMMN4140A

Description: RM760 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

Weight (LB- Pound)	0.17637
Dimensions (IN-Inch)	2.16 (W) 0.86 (H) 2.75 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Windporting
Programmabl e Button	Orange/emergency button only
Technology	IMPRES
Volume Control	No
Audiobuchse	3.5mm non-threaded
Weight (LB-	0.46

Weight (LB- Pound)	0.46
Dimensions (MM- Millimeter)	26 (W) 85 (H) 61 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Windporting
Programmabl e Button	No
Technology	IMPRES
Volume Control	No
Audiobuchse	3.5mm non-threaded



NS750 IMPRES™ Remote Speaker Microphone, Long Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated. The long cable allows you to wear the RSM in different wearing positions.

Model No: PMMN4150A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT, NEXUS, 3.5MM (LONG CABLE)

ROHS: Yes CE: Yes Country of Origin: MY



NS750 IMPRES™ Remote Speaker Microphone, Long Cable (Black)

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated. The long cable allows you to wear the RSM in different wearing positions.

Model No: PMMN4150ABLK

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,NS750, REMOTE SPEAKER MICROPHONE, IMPRES OMNI WITH LARGE FRONT PTT, NEXUS,3.5MM BLACK (LONG CABLE)

Weight (-)	_
Dimensions (- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Omni-directional
Programmabl e Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	No
Audiobuchse	Nexus and 3.5mm locking
W-!-l-+ ()	
Weight (-)	-
Dimensions (-)	- - (W) - (H) - (L)
Dimensions (- - (W) - (H) - (L) No
Dimensions (-) Channel	
Dimensions (-) Channel Control	No
Dimensions (-) Channel Control Display	No No display
Dimensions (-) Channel Control Display Industry Intelligent	No No display N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic	No No display N/A N/A
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating	No No display N/A N/A TIA4950(UL)
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone	No No display N/A N/A TIA4950(UL) IP68
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl	No display N/A N/A TIA4950(UL) IP68 Omni-directional
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable e Button	No No display N/A N/A TIA4950(UL) IP68 Omni-directional Orange emergency and programmable button
Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmabl e Button Technology Volume	No No display N/A N/A N/A TIA4950(UL) IP68 Omni-directional Orange emergency and programmable button IMPRES



NS750 IMPRES™ Remote Speaker Microphone, Short Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated.

Model No: PMMN4151A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT,NEXUS,3.5MM (SHORT CABLE)

ROHS: Yes CE: Yes Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Omni-directional
Programmabl e Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	No
Audiobuchse	Nexus and 3.5mm locking

BATTERIES



BATTERY PACK, BATT LIION IMPRES 2 IP68 2900T

Model No: PMNN4582A

Description: BATTERY PACK, BATT LIION IMPRES 2 IP68

2900T

ROHS: Yes CE: Yes Country of Origin: MY

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-lon 2900 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES™ 2
Туре	Battery



Battery Standard (LI-ION IMPRES 2 IP68 1900T)

•Capacity[mAh]: 1900mAh (typical) •Intelligent: Yes •Operating Temp Range (°c): 0c to 45c (charging) -10c to +60c (discharging) •Memory Effect: None •Requires Maintenance: No •Intrinsic Safety Std: No •Radio compatibility: TETRA MXP600

Model No: PMNN4801A

Description: BATT LIION IMPRES 2 IP68 1900T

ROHS: Yes CE: Yes Country of Origin: MY

recilliology	IIVIFRES Z
Туре	Battery
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-lon 1900 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES™ 2
Туре	Battery



Battery High Capacity (LI-ION IMPRES 2 IP68 3400T)

•Capacity[mAh]: 3400mAh (typical) •Intelligent: Yes •Operating Temp Range (°c): 0c to 45c (charging) -10c to +60c (discharging) •Memory Effect: None •Requires Maintenance: No •Intrinsic Safety Std: No •Radio compatibility: TETRA MXP600

Model No: PMNN4802A

Description: BATT LIION IMPRES 2 IP68 3400T

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-lon 3400 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES™ 2
Туре	Battery